


Hardware Braces & Door Hardware




FLAT CORNER IRONS



Heavy gauge, flat corner irons add rigidity to many types of assemblies, zinc plated. Holes are drilled and countersunk.

Part No.	Size (in.)	Box Qty.
FER22815	1½	48
FER22820	2	48
FER22825	2½	48
FER22830	3	48
FER22835	3½	24
FER22840	4	24
FER22850	5	24
FER22860	6	24


CORNER BRACES



Heavy gauge, zinc plated corner braces provide added strength in many applications. Holes are drilled and countersunk.

Part No.	Length (in.)	Box Qty.
FER22610	1	48
FER22615	1½	48
FER22620	2	48
FER22625	2½	24
FER22630	3	24
FER22635	3½	24
FER22640	4	24
FER22650	5	12
FER22660	6	12
FER22680	8	6


HEAVY DUTY SHELF BRACKETS



Heavy duty shelf brackets have gray enamel finish. Sold in units of each - no screws included.

Part No.	Size (in.)	Box Qty.
SB50608	6 x 8	24
SB50810	8 x 10	24
SB51012	10 x 12	24
SB51214	12 x 14	24


TROLLEY TRACK FOR SLIDING DOORS



Made of 16 gauge, prefinished, hot dipped galvanized steel. For doors up to 350 lbs.

Part No.	Length	Pieces/Bundle
SHX26416	6	4
SHX26418	8	4
SHX264110	10	4


SLIDING DOOR HANGERS



For single or by-passing sliding doors. Aprons provide bearing surface on both sides of door. Nylon wheel bearings for normal, low frequency use. Has both vertical and lateral adjustments which can be set in any position. Sold in pairs of 2. For use with #2641 series track.

Part No.	Door Thickness Adjustment (in.)	Wheel Diameter (in.)	Aprons (in.)	
			Long	Short
SHX2650	1 5/8 - 2 1/4	2 1/8	5 1/2 x 3	2 3/8 x 3

TROLLEY TRACK ACCESSORIES



The SHX2650C bracket is designed to prevent rattling by its vise-like action. By tightening the lag screw the sides of the bracket are drawn tightly around the track, holding it rigidly in place and preventing hitching or binding of the door.


The SHX2641EC fits into brackets at the end of the track, making the track bird-proof.

Part No.	Key	Description
SHX2650C	A	Track Bracket
SHX2641EC	B	End Cap



Hardware Hinges & Hasps


EXTRA HEAVY DUTY BLANK BUTT HINGES



Extra heavy full surface hinges are heavy gauge wrought steel. Blank construction for welding. Plain steel finish. Fast spun pins, not swaged. Sold in pairs of 2 only.

Part No.	Size (in.)	Gauge (in.)	Pin Diameter (in.)
BB10020	2 x 2	.107	.207
BB10025	2½ x 2½	.119	.263
BB10030	3 x 3	.130	.283
BB10035	3½ x 3½	.146	.295
BB10040	4 x 4	.160	.331
BB10050	5 x 5	.180	.375
BB10060	6 x 6	.203	.437


HEAVY STRAP HINGES



Plain steel, heavy duty strap hinges are ideally suited for exterior work for storage or barn doors. Sold in pairs of 2. Screws included.

Part No.	Length of Each Leaf (in.)	Length of Joint (in.)
SH90206	6	2 ⁵ / ₁₆
SH90208	8	3
SH90210	10	3 ³ / ₈
SH90212	12	3 ²⁷ / ₃₂


EXTRA HEAVY T-HINGES



Extra-heavy T-Hinges are suited for all types of exterior work – large gates, barn doors, etc. Plain steel. Packed without screws. Sold in pairs of 2.

Part No.	Length of Strap (in.)	Pad Size (in.)		Width of Strap at Joint (in.)
		Length	Width	
SH90806	6	4¼	1 ¹³ / ₁₆	2 ³ / ₃₂
SH90808	8	5½	2 ⁹ / ₃₂	2 ¹¹ / ₁₆
SH90810	10	6 ⁵ / ₈	2 ⁵ / ₈	3 ¹³ / ₁₆
SH90812	12	7¾	3 ¹ / ₁₆	3 ²⁷ / ₃₂


BLANK STEEL PIANO HINGE



Plain steel, blank continuous hinges have a variety of uses in industry and construction. Stock sizes are shown below. Items shown below are blank—not drilled. Plain steel finish. Other sizes and finishes available on request.

Part No.	Open Width (in.)	Gauge	Pin Diameter (in.)	Length (ft.)
PH116040	1 ¹ / ₁₆	.040	.095	6
PH2060	2	.060	.187	7
PH2075	2	.075	.250	6
PH3060	3	.060	.187	6
PH3075	3	.075	.250	6


DOOR PULLS



Heavy duty door pulls have a variety of applications in construction and industry. Rounded contour formed for maximum handling comfort and appearance.

Part No.	Size	Overall Size (in.)	Length of Grip (in.)	Finish
SH482US1D1	No. 1	5 x 1¼	3 ⁵ / ₈	Dead Black
SH482US2C1	No. 1	5 x 1¼	3 ⁵ / ₈	Zinc Plated
SH482US1D2	No. 2	5¾ x 1½	4	Dead Black
SH482US2C2	No. 2	5¾ x 1½	4	Zinc Plated
SH482US1D3	No. 3	6½ x 1¾	4½	Dead Black
SH482US2C3	No. 3	6½ x 1¾	4½	Zinc Plated
SH482US1D4	No. 4	7 ⁷ / ₈ x 2¼	5 ⁵ / ₁₆	Dead Black
SH482US2C4	No. 4	7 ⁷ / ₈ x 2¼	5 ⁵ / ₁₆	Zinc Plated

SAFETY HASPS



Heavy duty safety hasps with fixed staples. Zinc plated to prevent corrosion. Heavy gauge metal for added security.

Part No.	Length (in.)	finish	Box Qty.
FER24625	2½	Zinc Plated	12
FER24635	3½	Zinc Plated	12
FER24645	4½	Zinc Plated	12
FER24660	6	Zinc Plated	12


880 MEEKER AVE • BROOKLYN, NY 11222

Tel: 718-387-0300 • FAX: 718-387-1874

Hardware Door Hardware




SLIM LINE DOOR CLOSERS



Slim Line Door Closers fit on 1 3/4" frames, Universal-mounts on left or right hand doors. Can be installed in standard, top jam and parallel arm positions. Non corrosive aluminum housing with sealed mechanism. UL listed. Meets Federal Specification FF-H-121C, Type 3009. Built-in adjustable back checks, hold-open mechanisms and fusible-link hold open options available on request.

Part No.	Maximum Width and Weight of Door					
	Interior Doors		Exterior Doors			
	Width (in.)	Weight (lbs.)	In-Swing		Out-Swing	
Width (in.)			Weight (lbs.)	Width (in.)	Weight (lbs.)	
PH532	34	90	—	—	27	80
PH533	38	118	30	130	34	135
PH534	48	150	36	165	40	170
PH535	54	180	39	180	46	200


"POT" TYPE DOOR CLOSERS



Traditional "Pot" type door closers are unexcelled for economy, smoothness and long life. Universal style installs on right or left hand doors. Closing speed is controlled with an adjusting screw. Regulating valve provides positive speed control. Matches template for Yale #70.

Part No.	Usage	Finish
PH701	Light Exterior Doors	Bronze
PH703	Medium Exterior Doors with Windy Conditions	Bronze
PH704	Heavy Exterior Doors	Bronze


HEAVY DUTY BARREL BOLTS



Heavy duty barrel bolts are brass plated and provide added security in many industrial applications.

Part No.	Length (in.)	Box Qty.
FER90020	2	12
FER90025	2 1/2	12
FER90030	3	12
FER90040	4	12
FER90050	5	12
FER90060	6	12


HEAVY SQUARE SPRING BOLTS



Heavy duty square spring bolts have Japanned finish. Individually packed with screws.

Part No.	Length (in.)	Box Qty.
FER50806	6	12
FER50808	8	6


FLIP-DOWN DOOR HOLDERS



Positive holding, convenient, foot-operated holder with large rubber tip. Cast iron construction with aluminum finish and matching screws.

Part No.	Size	Box Qty.
DH63504	4	10

CHAIN BOLTS




For doors of garages and industrial buildings. Can be used on doors opening in by reversing bolt. Equipped with strong, hard drawn wire spring which throws the bolt automatically when chain is released. Chains are 24" long. Bright zinc finish, with screws.

Part No.	Bolt Length (in.)	Size of Bolt (in.)	Throw (in.)	Case Size (in.)
SHSP10553	3	3/8	5/16	2 1/2 x 1 19/32
SHSP10556	6	9/16	1 1/16	4 19/16 x 2



Hardware Door Hardware


RIM NIGHT LATCH



Die cast alloy-bronze finish. Furnished with 5-pin rim cylinder – accepts any standard rim cylinder. 2 $\frac{3}{8}$ " back set. Universal installation. Latch can be deadlocked or retracted by inner knob.

Part No.	Description	Finish
PH1301	Rim Cylinder Night Latch	Bronze


CYLINDRICAL LOCK SETS



5-Pin tumbler (Keyway #1063) solid brass Cylindrical Locks. Reversible for right or left hand doors. 2 $\frac{3}{8}$ " back set measures 1" x 2 $\frac{1}{4}$ ". $\frac{7}{8}$ " diameter latchbolt has $\frac{3}{8}$ " throw. Includes curved lip strike 2 $\frac{3}{4}$ " x 1 $\frac{1}{64}$ ". Entry sets have deadlatch as standard feature. Washington style knobs. Other finishes and styles available on request.

Part No.	Description	Finish
PH2660	Entry Lock Set	Polished Brass
PH2641	Passage Set	Polished Brass
PH2642	Privacy Set	Polished Brass
PH2643	Bathroom Set	Polished Brass

TUBULAR DEADBOLTS



Polished brass, double cylinder tubular deadbolts. 2 $\frac{3}{8}$ " back set measures 1" x 2 $\frac{1}{4}$ ". Bolt has 1" throw, with steel center bar that spins to foil hacksaws. Keyed differently. Keyed alike, and 2 $\frac{3}{4}$ " back set available on request.

Part No.	Description	Back Set (in.)
PH2154	Double Cylinder Tubular Deadbolt	2 $\frac{3}{8}$


JUMBO DEADLOCK



Die cast alloy-bronze finish. Solid brass cylinder 5-pin tumbler 1022 Segal Keyway. Supplied with 2 keys. 2 $\frac{3}{8}$ " back set. Universal installation. 1" bolt projection x 1 $\frac{3}{4}$ " x $\frac{5}{8}$ ". Outside cylinder, inside thumb turn.

Part No.	Description	Finish
PH1304	Jumbo Deadlock	Bronze


JIMMY-PROOF DEADLOCKS



Die cast alloy-bronze finish. 5-Pin Segal 1022 keyway, supplied with 2 keys. 2 $\frac{3}{8}$ " back set. Universal installation. Available in either single or double cylinder design.

Part No.	Description	Finish
PH1302	Double Cylinder Deadlock	Bronze
PH1303	Single Cylinder Deadlock	Bronze


SOLID BRONZE RIM CYLINDERS



Solid bronze, reversible rim cylinders. Dull bronze finish. Available keyed alike or keyed differently. 5-Pin tumbler Schlage keyway.

Part No.	Description	Finish
PH1320	Solid Bronze Rim Cylinder-KD	Dull Bronze
PH1320KA	Solid Bronze Rim Cylinder-KA	Dull Bronze

SOLID BRASS RIM CYLINDERS



Solid brass reversible rim cylinders. Keyed differently. 5-Pin tumbler Segal keyway.

Part No.	Description	Finish
PH1315	Solid Brass Rim Cylinder-KD	Brass